

1. A ruled line extracting apparatus,
comprising:

straight line extracting means for setting a threshold value based on information of the size of the standard pattern, and extracting information of one or more straight line patterns from the input image using the threshold value.

3. The ruled line extracting apparatus according to claim 1, wherein said estimating means estimates the size of the standard pattern based on a histogram of sizes of pixel concatenation regions included in the input image.

4. The ruled line extracting apparatus according
25 to claim 1, wherein said straight line extracting

means includes:

straight line deleting means for determining whether or not to delete one of the one or more straight line patterns, by using the threshold value and at least either of information about a shape of one among one or more straight line patterns, and information about a distance between two straight line patterns included in one or more straight line patterns.

5. The ruled line extracting apparatus according to claim 1, wherein said straight line extracting means includes:

straight line deleting means for determining whether or not to delete either of a horizontal straight line pattern and a vertical straight line pattern included in the one or more straight line patterns, based on a link relationship between the horizontal straight line pattern and the vertical straight line pattern and the threshold value.

6. The ruled line extracting apparatus according to claim 1, wherein said straight line extracting means includes:

straight line deleting means for determining

whether or not to delete a shorter pattern of two straight line patterns which are included in the one or more straight line patterns and almost overlap, using the threshold value.

5

7. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image;

calculating means for obtaining a representative value of sizes of the one or more straight line patterns;

and

straight line processing means for setting a threshold value based on the representative value, and processing the information of the one or more straight line patterns using the threshold value.

20

8. The ruled line extracting apparatus according to claim 7, wherein said calculating means obtains the representative value according to either of a histogram of heights of horizontal straight line patterns included in the one or more straight line patterns, and a histogram of widths of vertical

25

"FOOT" SH05250

straight line patterns included in the one or more straight line patterns.

9. The ruled line extracting apparatus according to claim 7, wherein said straight line processing means further comprises a straight line integrating means for recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns, is approximately the representative value.

10. A ruled line extracting apparatus, comprising:
straight line extracting means for extracting information of one or more straight line patterns from an input image;

calculating means for obtaining a representative value of sizes of one or more segment patterns structuring the one or more straight line patterns; and

straight line processing means for setting a threshold value based on the representative value, and processing the information of the one or more straight

0975046 040801
103070 9405260

line patterns using the threshold value.

11. The ruled line extracting apparatus according to claim 10, wherein said calculating means obtains the representative value according to either of a histogram of heights of horizontal segment patterns included in the one or more segment patterns, and a histogram of widths of vertical segment patterns included in the one or more straight line patterns.

10

12. The ruled line extracting apparatus according to claim 10, wherein said straight line processing means further comprises:

straight line deleting means for deleting a straight line pattern composed of segment patterns which are larger than the threshold value among the one or more straight line patterns.

13. A ruled line extracting apparatus, comprising:

20

segment extracting means for extracting information of one or more segment patterns from an input image;

storing means for classifying the information of the one or more segment patterns into information of

25

094045260

a large segment pattern and information of a small segment pattern; and

straight line extracting means for examining a link state of the one or more segment patterns, and when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

14. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

straight line integrating means for integrating two straight line patterns included in the one or more straight line patterns if the two straight line patterns almost overlap .

15. A ruled line extracting apparatus, comprising:

straight line extracting means for extracting information of one or more straight line patterns from an input image; and

straight line deleting means for determining

whether or not to delete one among the one or more
straight line patterns by using at least one of
information about a shape of the one among the one or
more straight line patterns, and information about a
5 distance between two straight line patterns included
in the one or more straight line patterns.

16. A ruled line extracting apparatus,
comprising:

10 straight line extracting means for extracting
information of one or more straight line patterns from
an input image; and A

15 straight line deleting means for determining
whether or not to delete either of a horizontal
straight line pattern and a vertical straight line
pattern included in the one or more straight line
patterns, based on a link relationship between the
horizontal straight line pattern and the vertical
straight line pattern.

20

17. A ruled line extracting apparatus,
comprising:

25 straight line extracting means for extracting
information of one or more straight line patterns from
an input image; and

20250101 14:00:00

5

10

15

20

25

straight line deleting means for deleting a straight line pattern composed of segment patterns which are larger than a threshold value, among the one

or more straight line patterns.

20. A ruled line extracting apparatus,
comprising:

5 straight line extracting means for extracting
information of a straight line pattern from an input
image;

10 graph generating means for obtaining the number of
pixels included in a segment pattern of a standard
size among one or more segment patterns structuring
the straight line pattern, and generating a graph
representing the number of pixels around the straight
line pattern; and

15 straight line deleting means for determining
whether or not to delete the straight line pattern
based on a shape of the graph.

21. The ruled line extracting apparatus according
to claim 20, further comprising:

20 storing means for attaching a mark to information
of a large segment pattern among the one or more
segment patterns, and storing information of the one
or more segment patterns, wherein said graph
generating means recognizes a segment pattern to which
25 the mark is not attached among the one or more segment

FOIA b 7 - D

22. The ruled line extracting apparatus according to claim 20, wherein:

said straight line deleting means deletes the straight line pattern if the shape of the graph is gentle.

estimating a size of a standard pattern included
in an input image;

extracting information of one or more straight line patterns from the input image using the threshold value.

24. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

5 extracting information of one or more straight line patterns from an input image;

obtaining a representative value of sizes of the one or more straight line patterns;

10 setting a threshold value based on the representative value; and

processing the information of the one or more straight line patterns using the threshold value.

A

25. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

15 extracting information of one or more straight line patterns from an input image;

20 obtaining a representative value of sizes of one or more segment patterns structuring the one or more straight line patterns;

setting a threshold value based on the representative value; and

25 processing the information of the one or more straight line patterns using the threshold value.

extracting information of one or more segment
5 patterns from an input image;

10 examining a link state of one or more segment patterns, and when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

extracting information of one or more straight
20 line patterns from an input image; and

25 28. A computer-readable storage medium, when used

extracting information of one or more straight line patterns from an input image; and

29. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

determining whether or not to delete either of a horizontal straight line pattern and a vertical straight line pattern included in the one or more straight line patterns, based on a link relationship between the horizontal straight line pattern and the vertical straight line pattern.

25 30. A computer-readable storage medium, when used

extracting information of one or more straight line patterns from an input image; and

5 deleting a shorter pattern of two straight line patterns which are included in the one or more straight line patterns and almost overlap.

extracting information of one or more straight line patterns from an input image; and
recognizing a straight line pattern after
15 integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns is approximately a predetermined value.

extracting information of one or more straight
25 line patterns from an input image; and

deleting a straight line pattern composed of large segment patterns which are larger than a threshold value, among the one or more straight line patterns.

5 33. A computer-readable storage medium, when used by a computer, to direct the computer to perform the functions of:

extracting information of a straight line pattern from an input image;

10 obtaining the number of pixels included in a segment pattern of a standard size among one or more segment patterns structuring the straight line pattern, and generating a graph representing the number of pixels around the straight line pattern; and

15 determining whether or not to delete the straight line pattern based on a shape of the graph.

34. A ruled line extracting method, comprising the steps of:

20 estimating a size of a standard pattern included in a input image;

setting a threshold value based on information of the size of the standard pattern; and

25 extracting information of one or more straight line patterns from the input image, using the

20250101 010001

10

setting a threshold value based on the
representative value; and

2

20

obtaining a representative value of sizes of one or more segment patterns structuring the one or more

setting a threshold value based on the
representative value; and

25

37. A ruled line extracting method, comprising the steps of:

extracting information of one or more segment patterns from an input image;

5 classifying the information of the one or more segment patterns into information of a large segment pattern and information of a small segment pattern; and

10 examining a link state of one or more segment patterns, and when a large segment pattern is linked to small segment patterns, extracting a straight line pattern composed of the small segment patterns regardless of a size of the large segment pattern.

15 38. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image; and

20 integrating two straight line patterns included in the one or more straight line patterns, if the two straight line patterns almost overlap.

39. A ruled line extracting method, comprising the steps of:

25 extracting information of one or more straight

132010 5105260

line patterns from an input image; and
determining whether or not to delete one among the
one or more straight line patterns, using at least
either of information about a shape of the one among
the one or more straight line patterns, and
information about a distance between two straight line
patterns included in the one or more straight line
patterns.

40. A ruled line extracting method, comprising
the steps of:

extracting information of one or more straight
line patterns from an input image; and

determining whether or not to delete either of a
horizontal straight line pattern and a vertical
straight line pattern included in the one or more
straight line patterns, based on a link relationship
between the horizontal straight line pattern and the
vertical straight line pattern.

20

41. A ruled line extracting method, comprising
the steps of:

extracting information of one or more straight
line patterns from an input image;

deleting a shorter pattern of two straight line

patterns which are included in the one or more straight line patterns and almost overlap.

5 42. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image;

10 recognizing a straight line pattern after integration as a ruled line candidate, if a size of the straight line pattern generated by integrating two straight line patterns which partially overlap among the one or more straight line patterns, is approximately a predetermined value.

15 43. A ruled line extracting method, comprising the steps of:

extracting information of one or more straight line patterns from an input image; and

20 deleting a straight line pattern composed of segment patterns which are larger than a threshold value, among the one or more straight line patterns.

44. A ruled line extracting method, comprising the steps of:

25 extracting information of a straight line pattern

005046 01004

obtaining the number of pixels included in a segment pattern of a standard size among one or more segment patterns structuring the straight line pattern, and generating a graph representing the number of pixels around the straight line pattern; and

determining whether or not to delete the straight line pattern based on a shape of the graph.